ELSEVIER

Toxicology 97 (1995) 243–244

TOXICOLOGY

Volume Contents

Volume 97 (1995)

Special papers

Neurotoxicity of Metals: The New Challenges (pp. 1–38)

Neurotoxicity of metals: the new challenges. Introductory remarks
H. Vasken Aposhian (Tucson, AZ) 1–2

Heavy metals and the etiology of Parkinson's disease and other movement disorders
E.B. Montgomery, Jr. (Tucson, AZ) 3–9

Adverse health effects of lead at low exposure levels: trends in the management of childhood lead poisoning
J.F. Rosen (New York, NY) 11–7

The dental amalgam mercury controversy — inorganic mercury and the CNS; genetic linkage of mercury and antibiotic resistances in intestinal bacteria
F.L. Lorscheider, M.J. Vimy, A.O. Summers, H. Zwiers (Calgary, Canada; Athens, GA) 19–22

Mobilization of heavy metals by newer, therapeutically useful chelating agents
H.V. Aposhian, R.M. Maiorino, D. Gonzalez-Ramirez, M. Zuniga-Charles, Z. Xu, K.M. Hurlbut, P. Junco-Munoz, R.C. Dart, M.M. Aposhian (Tucson, AZ; Monterrey, Mexico; Denver, CO) .. 23–38

Regular papers

The effect of nickel compounds on immunophenotype and natural killer cell function of normal human lymphocytes (**Nickel salts inhibit lymphocyte function, magnesium acetate abolishes this effect**)
J. Żeromski, E. Jeżewska, J. Sikora, K.S. Kasprzak (Poznań, Poland; Frederick, MD) 39–48

Mechanistic studies on the potentiation of carbon tetrachloride hepatotoxicity by methamphetamine (**Potentiation of toxicity involves both hepatic and CNS elements**)
S.M. Roberts, R.D. Harbison, R.C. James (Gainesville, FL) 49–57

Modification of lipoperoxidative effects of dichloroacetate and trichloroacetate is associated with peroxisome proliferation (**The mitigating effect of peroxisome proliferation might be caused by altered metabolism of the haloacetates or by induction of quenching systems**)
E.W. Austin, J.R. Okita, R.T. Okita, J.L. Larson, R.J. Bull (Pullman, WA) 59–69

The influence of nutritional deficiencies on gastrointestinal uptake of cadmium and cadmium-metallothionein in rats (**Nutritional deficiencies can increase Cd deposition in the kidney**)
H. Ohta, M.G. Cherian (Ontario, Canada) 71–80

Copper metabolism leading to and following acute hepatitis in LEC rats (**Maximum Cu level in the liver seems to be governed by metallothionein synthesis and hepatitis occurs when Cu accumulates beyond this capacity**)
K.T. Suzuki, S. Kanno, S. Misawa, Y. Aoki (Chiba, Tsukuba, Japan) 81–92

Effects of pharmacological interventions on emetine cardiotoxicity in isolated perfused rat hearts (**Fructose 1,6-biphosphate has protective action against emetine carciotoxicity**)
S.J. Pan, A.B. Combs (Austin, TX) 93–104

Suppression of cytotoxic T lymphocyte activity by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin occurs in vivo, but not in vitro, and is independent of corticosterone elevation (**TCDD induced suppression of cytotoxic T lymphocyte activity and elevation of plasma corticosterone are not coincident effects**)
G.K. De Krey, N.I. Kerkvliet (Corvallis, OR) 105–112

Elsevier Science Ireland Ltd.

In vitro and in vivo effects of lead on specific ^{3}H-PN200-110 binding to dihydropyridine receptors in the frontal cortex of the mouse brain (**Lead affects calcium channel proteins under certain conditions in vitro but has no in vivo effects after chronic perinatal exposure**)
S. Schulte, W.E. Müller, K.D. Friedberg (Mannheim, Germany) 113–121

Acute oral toxicity in rats of 3,7-bis-(4-trifluoromethylphenyl)-1,5,3,7-dioxadiazocane compared with 3,7-bis-(3-trifluoromethylphenyl)-1,5,3,7-dioxadiazocane and *N,N'*-oxydimethylenebis(2-trifluoromethylaniline) (**4-substituted anilines but not their 2- and 3-substituted congeners cause hematotoxicity and leukocytosis**)
F. Kaleagasioglu, M.R. Berger, G.F. Kolar (Heidelberg, Germany) 123–131

Subchronic effects of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) and their reversibility in male Sprague—Dawley rats (**When corrected for toxicokinetics the $c \times t$ rule applied to TCDD**)
X. Li, K.K. Rozman (Kansas City, KS; Neuherberg, Germany) 133–140

Very early changes in pulmonary protein kinase C-α and calpain II contents following injection of butylated hydroxytoluene (BHT) into mice (**Pulmonary protein kinase C concentrations decreased as early as 45 minute after BHT administration**)
A.C.K. Miller, L.D. Dwyer-Nield, A.M. Malkinson (Denver, CO) 141–149

The utility of chelating agents as antidotes for nephrotoxicity of gold sodium thiomalate in adjuvant-arthritic rats (**Bucillamine and 2,3-dimercaptopropane sulphonate may be useful antidotes for gold toxicity**)
Y. Takahashi, T. Funakoshi, H. Shimada, S. Kojima (Kumamoto, Japan) 151–157

Cell death in rat and mouse embryos exposed to methanol in whole embryo culture (**Excessive cell death may have been responsible for defects in forebrain, visceral arches and otic and optic placode**)
B.D. Abbott, M. Ebron-McCoy, J.E. Andrews (Research Triangle Park, NC) 159–171

Effect of chronic L-DOPA administration on serum luteinizing hormone levels in male rats (**Prolonged treatment with high doses of L-DOPA releases LH from the pituitary**)
T. Yamada, J. Nakamura, M. Murakami, Y. Okuno, S. Hosokawa, M. Matsuo, H. Yamada (Osaka, Japan) 173–182

Changes in nocturnal pineal indoleamine metabolism in rats treated with parathion are prevented by β-adrenergic antagonist administration (**Parathion modifies pineal serotonin metabolism via an effect on sympathetic innervation to the gland or on the beta-adrenergic receptors in the pinealocyte membrane**)
A.M. Attia, M.H. Mostafa, B.A. Richardson, R.J. Reiter (Alexandria, Egypt; San Antonio, TX) 183–189

Stimulative effects of lead on bone resorption in organ culture (**Lead was found to stimulate prostaglandin E_2-mediated osteoclastic bone resorption**)
T. Miyahara, H. Komiyama, A. Miyanishi, M. Takata, M. Nagai, H. Kozuka, T. Hayashi, M. Yamamoto, Y. Ito, H. Odake, F. Koizumi (Toyama, Japan) 191–197

Immunotoxicology

Review article

Molecular mimicry in halothane hepatitis: Biochemical and structural characterization of lipoylated autoantigens (**A review is presented that molecular mimicry of trifluoroacetyl-L-lysine by lipoic acid may play a role in the susceptibility to develop halothane hepatitis**)
J. Gut, U. Christen, N. Frey, V. Koch, D. Stoffler (Basel, Switzerland) 199–224

Epitope mapping of β-lactam antibiotics with the use of monoclonal antibodies (**The major antigenic determinant of amoxicillin is an epitope on the side chain. A high degree of crossreactivity was found with other aminopenicillins in contrast to benzylpenicillin**)
C. Mayorga, T. Obispo, L. Jimeno, M. Blanca, J. Moscoso del Prado, J. Carreira, J.J. Garcia, C. Juarez (Malaga, Madrid, Spain) 225–234

Contents of journals related to Toxicology 235–237
Authro index 238
Subject index 239–242
Volume contents 243–244